


**DS-KH9310-WTE1**

**Video Intercom Network Indoor Station**

**HIKVISION**



### **Key Feature**

- 7-inch colorful touch screen with resolution 1024 × 600
- UI V2.0: User friendly design
- Plug & play
- Standard PoE
- Receives video call and unlocks via the client software or the mobile client remotely
- Supports link to hikvision devices to build a management center


## Specification

| System parameters          |   |
|----------------------------|---|
| Memory                     | 1 GB  |
| Flash                      | 4 GB Emmc   |
| Display parameters         |   |
| Display screen             | 7-inch colorful TFT touch screen                  |
| Display resolution         | 1024 × 600  |
| Operation method           | Capacitive touch screen                           |
| Brightness                 | Adjustable  |
| Audio parameters           |   |
| Audio input                | Built-in omnidirectional microphone               |
| Audio output               | Built-in loudspeaker                              |
| Audio compression standard | G.711 U, G.711 A                                  |
| Audio quality              | Noise suppression and echo cancellation           |
| Network parameters         |   |
| Wired network              | 10/100 Mbps self-adaptive                         |
| Wireless network           | Wi-Fi 802.11 b/g/n                                |
| Network protocol           | TCP/IP, SIP, RTSP                                 |
| Interfaces                 |   |
| Network port               | RJ45  |
| RS-485                     | 1   |
| Alarm in                   | 8   |
| Button                     | 1   |
| TAMPER                     | 1   |
| Alarm out                  | 2 relay   |
| Debugging port             | 1   |
| Micro USB                  | For debug only                                    |
| General                    |   |
| Power supply               | 12 VDC & standard PoE, IEEE 802.3af               |
| Power consumption          | ≤ 8 W   |
| Working temperature        | -10 °C to 50 °C (14 °F to 122 °F)                 |
| Working humidity           | 10% to 90%  |
| Dimensions                 | 187 mm × 137 mm × 25.7 mm (7.36" × 5.39" × 1.01") |
| Weight                     | 419.3 g (without package)<br>694 g (with package) |


## Available Model

DS-KH9310-WTE1

## Dimension




## Appearance and Interfaces



| No. | Description    | No. | Description            |
|-----|----------------|-----|------------------------|
| 1   | Display Screen | 6   | RS-485/Relay Interface |
| 2   | Microphone     | 7   | Debugging Port         |
| 3   | Unlock Button  | 8   | Micro USB Interface    |
| 4   | Power Terminal | 9   | Loudspeaker            |
| 5   | Alarm Terminal | 10  | TAMPER                 |

Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Korea**  
T +82-(0)31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com